LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 23
14 January 1967 to 14 February 1967

ACADEMIC PRESS
LONDON and NEW YORK

301
3

Copyright © 1967, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

67 93762

QH30
J73
v.23

CONTENTS OF VOLUME 23

Number 1, 14 January 1967

Bratt, M. A. and Robinson, W. S., Ribonucleic Acid Synthesis in Cells infected with Newcastle Disease Virus 1

Gordon, J. and Lipmann, F., Role of Divalent Ions in Poly U-directed Phenylalanine Polymerization 23

Tamaoki, T. and Miyazawa, F., Dissociation of *Escherichia coli* Ribosomes by Sulfhydryl Reagents 35

Brant, D. A., Miller, W. G. and Flory, P. J., Conformational Energy Estimates for Statistically Coiling Polypeptide Chains 47

Miller, W. G., Brant, D. A. and Flory, P. J., Random Coil Configurations of Polypeptide Copolymers 67

Lawford, G. R., Sadowski, P. and Schachter, H., Use of a Ribonuclease Inhibitor from Rat Liver Supernatant Fraction in the Preparation of Polyribosome-like Particles from Isolated Rat Liver Nuclei 81

Raskas, H. J. and Staehelin, T., Messenger and sRNA Binding by Ribosomal Subunits and Reconstituted Ribosomes 89

Clark, D. J. and Maaløe, O., DNA Replication and the Division Cycle in *Escherichia coli* 99

Letter to the Editor—

Damiani, A., Giglio, E., Liquori, A. M., Puliti, R. and Ripamonti, A., Molecular Geometry of a 2 : 1 Crystalline Complex between 1,3,7,9-Tetramethyluric Acid and Coronene 113

Number 2, 28 January 1967

Hertman, I. and Luria, S. E., Transduction Studies on the Role of a *rec*$^+$ Gene in the Ultraviolet Induction of Prophage Lambda 117

Takanami, M., Analysis of the 5′-Terminal Nucleotide Sequences of Ribonucleic Acids. I. The 5′-Termini of *Escherichia coli* Ribosomal RNA . . . 135

Zimmerman, E. F. and Holler, B. W., Methylation of 45 s Ribosomal RNA Precursor in HeLa Cells 149

Lang, D., Bujard, H., Wolff, B. and Russell, D., Electron Microscopy of Size and Shape of Viral DNA in Solutions of Different Ionic Strengths . 163

Goodheart, C. R., Non-transfer of RNA from Parent to Progeny of Encephalomyocarditis Virus 183

Bode, H. R. and Morowitz, H. J., Size and Structure of the *Mycoplasma hominis* H39 Chromosome 191

Williamson, A. R. and Askonas, B. A., Biosynthesis of Immunoglobulins: The Separate Classes of Polyribosomes synthesizing Heavy and Light Chains 201

de Petris, S., *Appendix*—Polyribosomes in Thin Sections of 5563 Plasmacytoma Cells 215

Horiuchi, T. and Inokuchi, H., Temperature-sensitive Regulation System of Prophage Lambda Induction 217

Ogawa, T. and Tomizawa, J-I., Abortive Lysogenization of Bacteriophage Lambda *b2* and Residual Immunity of Non-lysogenic Segregants . . 225

Tomizawa, J-I. and Ogawa, T., Effect of Ultraviolet Irradiation on Bacteriophage Lambda Immunity 247

Ogawa, H. and Tomizawa, J-I., Bacteriophage Lambda DNA with Different Structures found in Infected Cells 265

Letters to the Editor—

Tomizawa, J-I. and Ogawa, T., Inhibition of Growth of *rII* Mutants of Bacteriophage T4 by Immunity Substance of Bacteriophage Lambda 277

Cummins, J. E., Rusch, H. P. and Evans, T. E., Nearest Neighbor Frequencies and the Phylogenetic Origin of Mitochondrial DNA in *Physarum polycephalum* 281

Erratum 285

Number 3, 14 February 1967

Lowey, S., Goldstein, L., Cohen, C. and Luck, S. M., Proteolytic Degradation of Myosin and the Meromyosins by a Water-insoluble Polyanionic Derivative of Trypsin: Properties of a Helical Subunit isolated from Heavy Meromyosin 287

Watts-Tobin, R. J., The Oxidation of Haemoglobin 305

Appendix A—The Statistical Mechanics of an Ensemble of Macromolecules 319

Appendix B—Slope of the Hill Plot in the Model of Monod, Wyman & Changeux 320

Maestre, M. F. and Tinoco, I., Jr., Optical Rotatory Dispersion of Viruses . 323

Brownlee, G. G. and Sanger, F., Nucleotide Sequences from the Low Molecular Weight Ribosomal RNA of *Escherichia coli* 337

MacHattie, L. A., Ritchie, D. A., Thomas, C. A., Jr. and Richardson, C. C., Terminal Repetition in Permuted T2 Bacteriophage DNA Molecules . 355

RITCHIE, D. A., THOMAS, C. A., JR., MACHATTIE, L. A. and WENSINK, P. C., Terminal Repetition in Non-permuted T3 and T7 Bacteriophage DNA Molecules 365

MÖLLER, W. and CHRAMBACH, A., Physical Heterogeneity of the Ribosomal Proteins from *Escherichia coli* 377

WEIGERT, M. G., LANKA, E. and GAREN, A., Base Composition of Nonsense Codons in *Escherichia coli*. II. The N2 Codon UAA 391

WEIGERT, M. G., LANKA, E. and GAREN, A., Amino Acid Substitutions resulting from Suppression of Nonsense Mutations. III. Tyrosine Insertion by the *Su-4* Gene 401

WEISS, B. and RICHARDSON, C. C., The 5′-Terminal Dinucleotides of the Separated Strands of T7 Bacteriophage Deoxyribonucleic Acid . . 405

ADMAN, R. and GROSSMAN, L., Template Properties of Polyribonucleotides Containing Uracil or Modified Uracil in the RNA Polymerase Reaction . 417

Appendix—Statistical Characteristics of Template Sites Required for Reiteration. 435

COMB, D. G. and ZEHAVI-WILLNER, T., Isolation, Purification and Properties of 5 s Ribosomal RNA: a New Species of Cellular RNA. 441

CHURCH, R. B. and MCCARTHY, B. J., Ribonucleic Acid Synthesis in Regenerating and Embryonic Liver. I. The Synthesis of New Species of RNA during Regeneration of Mouse Liver after Partial Hepatectomy . . 459

CHURCH, R. B. and MCCARTHY, B. J., Ribonucleic Acid Synthesis in Regenerating and Embryonic Liver. II. The Synthesis of RNA during Embryonic Liver Development and its Relationship to Regenerating Liver . . 477

LOOMIS, W. F., JR. and MAGASANIK, B., The Catabolite Repression Gene of the *Lac* Operon in *Escherichia coli* 487

GODSON, G. N. and SINSHEIMER, R. L., The Replication of Bacteriophage MS2. VI. Interaction between Bacteriophage RNA and Cellular Components in MS2-infected *Escherichia coli* 495

KLIMENKO, S. M., TIKCHONENKO, T. I. and ANDREEV, V. M., Packing of DNA in the Head of Bacteriophage T2. 523

VAN RAVENSWAAY CLAASEN, J. C., VAN LEEUWEN, A. B. J., DUIJTS, G. A. H. and BOSCH, L., *In vitro* Translation of Alfalfa Mosaic Virus RNA . .

RÜST, P. and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. XI. Infectivity of the Complementary Strand of the Replicative Form 545

HUTCHINSON, C. A., III, EDGELL, M. H. and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. XII. Phenotypic Mixing between Electrophoretic Mutants of ϕX174 553

REEDER, R. and BELL, E., Protein Synthesis in Embryonic Chick Lens Cells . 577

PYSH, E. S., The Calculated Ultraviolet Optical Properties of Poly-L-proline I and II 587
Appendix—Details of the Calculation 596

BUSH, C. A. and TINOCO, I., JR., Calculation of the Optical Rotatory Dispersion of Dinucleoside Phosphates 60
Appendix—Derivation of the ORD and CD Curves from Absorption and Rotational Strengths 614

Letters to the Editor—

VAN DALEN, A., SEIJEN, H. G. and GRUBER, M., Structural Homologies in Immunoglobulins 615

CORNEO, G., GINELLI, E. and POLLI, E., A Satellite DNA Isolated from Human Tissues 619

Erratum 623

Index to Volume 23

ADMAN, R. & GROSSMAN, L., Template properties of polyribonucleotides containing uracil or modified uracil in the RNA polymerase reaction, 417
Alfalfa mosaic virus, *in vitro* translation of RNA, 535
Amino acid substitutions resulting from suppression of nonsense mutations, tyrosine insertion by the *Su-4* gene, 401
ANDREEV, V. M. (see KLIMENKO, S. M.), 523
ASKONAS, B. A. (see WILLIAMSON, A. R.), 201

Bacteriophage deoxyribonucleic acid, the 5′-terminal dinucleotides of the separated strands, 405
— lambda *b2*, abortive lysogenization, and residual immunity of non-lysogenic segregants, 225
—— DNA with different structures found in infected cells, 265
—— immunity, effect of ultraviolet irradiation, 247
— MS2 RNA interaction with cellular components in MS2-infected *Escherichia coli*, 495
— ϕX174, infectivity of the complementary strand of the replicative form, 545
——, phenotypic mixing between electrophoretic mutants, 553
— T2, packing of DNA in the head, 523
——, permuted DNA molecules, terminal repetition, 355
— T3 and T7 non-permuted DNA molecules, terminal repetition, 365
— T4, *rII* mutants, inhibition of growth by immunity substance of bacteriophage lambda, 277
BELL, E. (see REEDER, R.), 577
BODE, H. R. & MOROWITZ, H. J., Size and structure of the *Mycoplasma hominis* H39 chromosome, 191
BOSCH, L. (see VAN RAVENSWAAY CLAASEN, J. C.), 535
BRANT, D. A., MILLER, W. G. & FLORY, P. J., Conformational energy estimates for statistically coiling polypeptide chains, 47
— (see MILLER, W. G.), 67
BRATT, M. A. & ROBINSON, W. S., Ribonucleic acid synthesis in cells infected with Newcastle disease virus, 1
BROWNLEE, G. G. & SANGER, F., Nucleotide sequences from the low molecular weight ribosomal RNA of *Escherichia coli*, 377
BUJARD, H (see LANG, D.), 163
BUSH, C. A. & TINOCO, I., JR., Calculation of the optical rotatory dispersion of dinucleoside phosphates, with an appendix on the derivation of optical rotatory dispersion and circular dichroic curves from absorption and rotational strength, 601

CHRAMBACH, A. (see MÖLLER, W.), 377
Chromosome H39 of *Mycoplasma hominis*, size and structure, 191
CHURCH, R. B. & MCCARTHY, B. J., Ribonucleic acid synthesis in regenerating and embryonic liver. I. The synthesis of new species of RNA during regeneration of mouse liver after partial hepatectomy, 459
————. II. The synthesis of RNA during embryonic liver development and its relationship to regenerating liver, 477
CLARK, D. J. & MAALØE, O., DNA replication and the division cycle in *Escherichia coli*, 99
COHEN, C. (see LOWEY, S.), 287
COMB, D. G. & ZEHAVI-WILLNER, T., Isolation, purification and properties of 5 s ribosomal RNA; a new species of cellular RNA, 441
CORNEO, G., GINELLI, E. & POLLI, E., A satellite DNA isolated from human tissues, 619
Coronene and 1,3,7,9-tetramethyluric acid, molecular geometry of 1 : 2 crystalline complex, 113
CUMMINS, J. E., RUSCH, H. P. & EVANS, T. E., Nearest neighbour frequencies and the phylogenetic origin of mitochondrial DNA in *Physarum polycephalum*, 281

van Dalen, A., Seijen, H. G. & Gruber, M., Structural homologies in immunoglobulins, 615
Damiani, A., Giglio, E., Liquori, A. M., Puliti, R. & Ripamonti, A., Molecular geometry of a 2 : 1 crystalline complex between 1,3,7,9-tetramethyluric acid and coronene, 113
Deoxyribonucleic acid in *Physarum polycephalum* mitochondria, nearest neighbour frequencies and the phylogenetic origin, 281
—— of bacteriophage lambda with different structures, found in infected cells, 265
—— of T7 bacteriophage, the 5′-terminal dinucleotides of the separated strands, 405
——molecules in non-permuted T3 and T7 bacteriophage, terminal repetition, 365
——— of permuted T2 bacteriophages, terminal repetition, 355
—— packing in bacteriophage T2 head, 523
—— replication and the division cycle in *Escherichia coli*, 99
——, satellite, isolated from human tissues, 619
——, viral, electron microscopy of its size and shape in solutions of different ionic strengths, 163
Dinucleoside phosphates, calculation of the optical rotatory dispersion, 601
Duijts, G. A. H. (see van Ravenswaay Claasen, J. C.), 535

Edgell, M. H. (see Hutchinson, C. A., III), 553
Electron microscopy of size and shape of viral DNA in solutions of different ionic stengths, 163
Encephalomyocarditis (see virus, 183)
Escherichia coli DNA replication and the division cycle, 99
—— infected with bacteriophage MS2, interaction between bacteriophage RNA and cellular components, 495
—— nonsense codons: the N2 codon UAA, 391
— —, nucleotide sequences from low molecular weight ribosomal RNA, 337
—— ribosomal proteins, their physical heterogeneity, 377
——— RNA, the sequence analysis of termini, 135
—— ribosomes dissociated by sulfhydryl reagents, 35
Evans, T. E. (see Cummins, J. E.), 281

Flory, P. J. (see Brant, D. A.), 47
— (see Miller, W. G.), 67

Garen, A. (see Weigert, M. G.), 391, 401
Giglio, E. (see Damiani, A.), 113
Ginelli, E. (see Corneo, G.), 619
Godson, G. N. & Sinsheimer, R. L., The replication of bacteriophage MS2. VI. Interaction between bacteriophage RNA and cellular components in MS2-infected *Escherichia coli*, 459
Goldstein, L. (see Lowey, S.), 287
Goodheart, C. R., Non-transfer of RNA from parent to progeny of encephalomyocarditis virus, 183
Gordon, J. & Lipmann, F., Role of divalent ions in poly U-directed phenylalanine polymerization, 23
Grossman, L. (see Adman, R.), 417
Gruber, M. (see van Dalen, A.), 615

Haemoglobin oxidation, 305
HeLa cells, methylation of 45 s ribosomal RNA precursor, 149
Hertman, I. & Luria, S. E., Transduction studies on the role of a *rec*$^+$ gene in the ultraviolet induction of prophage lambda, 117
Holler, B. W. (see Zimmerman, E. F.), 149
Horiuchi, T. & Inokuchi, H., Temperature-sensitive regulation system of prophage lambda induction, 217
Hutchinson, C. A., III, Edgell, M. H. & Sinsheimer, R. L., The process of infection with bacteriophage ϕX174. XII. Phenotypic mixing between electrophoretic mutants of ϕX174, 553

Immunity, residual, of non-lysogenic segregants of bacteriophage lambda *b2*, 225
— substance of bacteriophage lambda inhibits growth of *rII* mutants of bacteriophage T4, 277
Immunoglobulins, structural homologies, 615
—, the separate classes of polyribosomes synthesizing heavy and light chains, 201
Inokuchi, H. (see Horiuchi, T.), 217

Klimenko, S. M., Tikchonenko, T. I. & Andreev, V. M., Packing of DNA in the head of bacteriophage T2, 523

λ (see bacteriophage), 247, 265, 277
λ (see prophage), 117, 217
λ*b2* (see bacteriophage), 225
Lac operon in *Escherichia coli*, the catabolite repression gene, 487
Lang, D., Bujard, H., Wolff, B. & Russell, D., Electron microscopy of size and shape of viral DNA in solutions of different ionic strengths, 163
Lanka, E. (see Weigert, M. G.), 391, 401
Lawford, G. R., Sadowski, P. & Schachter, H., Use of a ribonuclease inhibitor from rat liver supernatant fraction in the preparation of polyribosome-like particles from isolated rat liver nuclei, 81
van Leeuwen, A. B. J. (see van Ravenswaay Claasen, J. C.), 535
Lipmann, F. (see Gordon, J.), 23
Liquori, A. M. (see Damiani, A.), 113
Liver RNA synthesis during embryonic development and regeneration, 477
———, new species found during regeneration, 459
Loomis, W. F., Jr. & Magasanik, B., The catabolite repression gene of the *Lac* operon in *Escherichia coli*, 487
Lowey, S., Goldstein, L., Cohen, C. & Luck, S. M., Proteolytic degradation of myosin and the meromyosins, by a water-insoluble polyanionic derivative of trypsin, 287
Luck, S. M. (see Lowey, S.), 287
Luria, S. E. (see Hertman, I.), 117
Lysogenization, abortive, of bacteriophage lambda *b2* and residual immunity of non-lysogenic segregants, 225

MS2 (see bacteriophage), 485
Maaløe, O. (see Clark, D. J.), 99
MacHattie, L. A., Ritchie, D. A., Thomas, C. A., Jr. & Richardson, C. C., Terminal repetition in permuted T2 bacteriophage DNA molecules, 355
— (see Ritchie, D. A.), 365
Maestre, M. F. & Tinoco, I., Jr., Optical rotatory dispersion of viruses, 323
Magasanik, B. (see Loomis, W. F.), 487
McCarthy, B. J. (see Church, R. B.), 459, 477
Methylation of 45 s ribosomal RNA precursor in HeLa cells, 149
Miller, W. G., Brant, D. A. & Flory, P. J., Random coil configurations of polypeptide co-polymers, 67
— (see Brant, D. A.), 47
Mitochondrial DNA in *Physarum polycephalum*, nearest neighbour frequencies and phylogenetic origin, 281
Miyazawa, F. (see Tamaoki, T.), 35
Molecular geometry of a 2 : 1 crystalline complex between 1,3,7,9-tetramethyluric acid and coronene, 113
Möller, W. & Chrambach, A., Physical heterogeneity of the ribosomal proteins from *Escherichia coli*, 377
Morowitz, H. J. (see Bode, H. R.), 191
Mycoplasma hominis chromosome H39 size and structure, 191
Myosin and meromyosins, proteolytic degradations by a water-insoluble polyanionic derivative of trypsin, 287

Newcastle disease virus, RNA synthesis in infected cells, 1
Nonsense codons in *Escherichia coli*: the N2 codon UAA, 391
Nucleotide sequence from the low molecular weight ribosomal RNA of *Escherichia coli*, 337

Ogawa, T. & Tomizawa, J., Abortive lysogenization of bacteriophage lambda *b2* and residual immunity of non-lysogenic segregants, 225
———, Bacteriophage lambda DNA with different structures found in infected cells, 265
— (see Tomizawa, J.), 247, 277
Optical rotatory dispersion of dinucleoside phosphates, 601
——— of viruses, 323

DE PETRIS, S., Polyribosomes in thin sections of 5563 plasmacytoma cells, 215
ϕX174 (see bacteriophage), 545, 553
Phenylalanine, role of divalent ions in poly U-directed polymerization, 23
Plasmacytoma 5563 polyribosomes in thin sections, 215
Phosphates, dinucleoside, calculation of the optical rotatory dispersion, 601
Physarum polycephalum mitochondrial DNA, its nearest neighbour frequencies and phylogenetic origin, 281
POLLI, E. (see CORNEO, G.), 619
Poly-L-proline I and II, calculated ultraviolet optical properties, 587
Poly U-directed phenylalanine polymerization and the role of divalent ions, 23
Polypeptide chains, statistically coiling, conformational energy estimates, 47
— copolymers, random coil configurations, 67
Polyribonucleotides containing uracil or modified uracil, their template properties in the RNA polymerase reaction, 417
Polyribosome-like particles prepared from isolated rat liver nuclei using a ribonuclease inhibitor from rat liver supernatant fraction, 81
Polyribosomes in thin sections of plasmacytoma cells, 215
—, separate classes synthesizing heavy and light chains of immunoglobulins, 201
Prophage lambda induction, temperature-sensitive regulation system, 217
——, role of a *rec*$^+$ gene in ultraviolet induction, 117
Protein synthesis in embryonic chick lens cells, 577
Proteolytic degradation of myosin and the meromyosins by a water insoluble polyanionic derivative of trypsin, 287
PULITI, R. (see DAMIANI, A.), 113
PYSH, E. S., The calculated ultraviolet optical properties of poly-L-proline I and II, 587

rII mutants of bacteriophage T4, growth inhibited by immunity substance of bacteriophage lambda, 277
Random coil configurations of polypeptide copolymers, 67
RASKAS, H. J. & STAEHELIN, T., Messenger and sRNA binding by ribosomal subunits and reconstituted ribosomes, 89
VAN RAVENSWAAY CLAASEN, J. C., VAN LEEUWEN, A. B. J., DUIJTS, G. A. H. & BOSCH, L., *In vitro* translation of alfalfa mosaic virus RNA, 535
REEDER, R. & BELL, E., Protein synthesis in embryonic chick lens cells, 577
Regulation system of prophage lambda induction, temperature-sensitive, 217
Ribonuclease inhibitor from rat liver supernatant fraction in the preparation of polyribosome-like particles from isolated rat liver nuclei, 81
Ribonucleic acid, a new species synthesized during regeneration of mouse liver after partial hepatectomy, 459
——, low molecular weight, of *Escherichia coli* ribosomes, nucleotide sequences, 337
——, messenger and soluble, binding by ribosomal subunits and reconstituted ribosomes, 89
——, non-transfer from parent to progeny of encephalomyocarditis virus, 183
—— of alfalfa mosaic virus, *in vitro* translation, 535
—— of bacteriophage MS2, interaction with cellular components in MS2-infected *Escherichia coli*, 495
—— polymerase reaction, template properties of polyribonucleotides containing uracil or modified uracil, 417
——, ribosomal, methylation of 45 s precursor in HeLa cells, 149
——, ribosomal, the analysis of 5′-terminal nucleotide sequence in *Escherichia coli*, 135
——, 5 s ribosomal, isolation, purification and properties: a new species of cellular RNA, 441
—— synthesis in cells infected with Newcastle disease virus, 1
—— synthesized during embryonic liver development and its relationship to regenerating liver, 477
Ribosomal proteins from *Escherichia coli*, physical heterogeneity, 377
Ribosomes of *Escherichia coli* dissociated by sulfhydryl reagents, 35
——, reconstituted and ribosomal subunits, binding of messenger and sRNA, 89
RICHARDSON, C. C. (see MACHATTIE, L. A.), 355
— (see WEISS, B.), 405
RIPAMONTI, A. (see DAMIANI, A.), 113
RITCHIE, D. A., THOMAS, C. A., JR., MACHATTIE, L. A. & WENSINK, P. C., Terminal repetition in non-permuted T3 and T7 bacteriophage DNA molecules, 365
— (see MACHATTIE, L. A.), 355
ROBINSON, W. S. (see BRATT, M. A.), 1
RUSCH, H. P. (see CUMMINS, J. E.), 281

Russell, D. (see Lang, D.), 163
Rüst, P. & Sinsheimer, R. L., The process of infection with bacteriophage ϕX174. XI. Infectivity of the complementary strand of the replicative form, 545

Sadowski, P. (see Lawford, G. R.), 81
Sanger, F. (see Brownlee, G. G.), 337
Schachter, H. (see Lawford, G. R.), 81
Seijen, H. G. (see van Dalen, A.), 615
Sinsheimer, R. L. (see Godson, G. N.), 495
— (see Hutchinson, C. A., III), 553
— (see Rüst, P.), 545
Staehelin, T. (see Raskas, H. J.), 89
Sulfhydryl reagents, dissociation of *Escherichia coli* ribosomes, 35
Suppressor gene, *Su-4*, tyrosine insertion, 401

T2 (see bacteriophage), 355, 523
T3 (see bacteriophage), 365
T4 (see bacteriophage), 277
T7 (see bacteriophage), 365, 405
Takanami, M., Analysis of the 5′-terminal nucleotide sequences of ribonucleic acids. I. The 5′-termini of *Escherichia coli* ribosomal RNA, 135
Tamaoki, T. & Miyazawa, F., Dissociation of *Escherichia coli* ribosomes by sulfhydryl reagents, 35
Temperature-senstive regulation system of prophage lambda induction, 217
Template properties of polyribonucleotides containing uracil or modified uracil in the RNA polymerase reaction, 417
1,3,7,9-Tetramethyluric acid and coronene, molecular geometry of 2 : 1 crystalline complex, 113
Thomas, C. A., Jr. (see MacHattie, L. A.), 355
— (see Ritchie, D. A.), 365
Tikchonenko, T. I. (see Klimenko, S. M.), 523
Tinoco, I., Jr. (see Bush, C. A.), 601
— (see Maestre, M. F.), 323
Tomizawa, J. & Ogawa, T., The effect of ultraviolet irradiation on bacteriophage lambda immunity, 247
——, The inhibition of growth of *rII* mutants of bacteriophage T4 by immunity substance of bacteriophage lambda, 277
— (see Ogawa, T), 225, 265
Transduction studies on the role of a *rec*$^+$ gene in the ultraviolet induction of prophage lambda, 117
Trypsin derivative, water insoluble polyanionic, used in proteolytic degradation of myosin and the meromyosins, 287
Tyrosine insertion by the *Su-4* gene, 401

Ultraviolet induction of prophage lambda and transduction studies on the role of a *rec*$^+$ gene, 117
— irradiation, effect on bacteriophage lambda immunity, 247
— optical properties of poly-L-proline I and II, calculated, 587

Virus, alfalfa mosaic, *in vitro* translation of RNA, 535
—, encephalomyocarditis, non-transfer of RNA from parent to progeny, 183
—, Newcastle disease, RNA synthesis in infected cells, 1

Watts-Tobin, R. J., Slope of the Hill plot in the model for allosteric transitions of Monod, Wyman & Changeux, 320
—, Statistical mechanics of an ensemble of macromolecules, 319
—, The oxidation of haemoglobin, 305
Weigert, M. G., Lanka, E. & Garen, A., Amino acid substitutions resulting from suppression of nonsense mutations. III. Tyrosine insertion by the *Su-4* gene, 401
———, Base composition of nonsense codons in *Escherichia coli*. II. The N2 codon UAA, 391
Weiss, B. & Richardson, C. C., The 5′-terminal dinucleotides of the separated strands of T7 bacteriophage deoxyribonucleic acid, 405

WENSINK, P. C. (see RITCHIE, D. A.), 365
WILLIAMSON, A. R. & ASKONAS, B. A., Biosynthesis of immunoglobulins: the separate classes of polyribosomes synthesizing heavy and light chains, 201
WOLFF, B. (see LANG, D.), 163

ZEHAVI-WILLNER, T. (see COMB, D. G.), 441
ZIMMERMAN, E. F. & HOLLER, B. W., Methylation of 45 s ribosomal RNA precursor in HeLa cells, 149